Notice of Allowability	Application No.	Application No. Applicant(s)	
	10/073,899	10/073,899 SLETTNES, TOR	
	Examiner	Art Unit	
	Thanh X. Luu	2878	
- The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.	IS (OR REMAINS) CLOSED in 85) or other appropriate common RIGHTS. This application is a	n this application. If not inclu unication will be mailed in du	ided ie course. <b>THIS</b>
1. $\boxtimes$ This communication is responsive to <u>response filed Ma</u>	rch 8, 2004.		
2. 🔀 The allowed claim(s) is/are <u>1-65</u> .			
3. X The drawings filed on 13 August 2003 are accepted by	the Examiner.		
<ol> <li>Acknowledgment is made of a claim for foreign priority         <ul> <li>a)</li></ul></li></ol>	ave been received. ave been received in Applicatio	on No	cation from the
Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the i	requirements
5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which			NOTICE OF
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") r  (a) ☐ including changes required by the Notice of Draftsp  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examir Paper No./Mail Date  Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such	person's Patent Drawing Review ner's Amendment / Comment of R 1.84(c)) should be written on the	r in the Office action of the drawings in the front (not t	he back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMED</li> </ol>	posit of BIOLOGICAL MATI NT FOR THE DEPOSIT OF BIO	ERIAL must be submitted DLOGICAL MATERIAL.	. Note the
Attachment(s)  1. ★ Notice of References Cited (PTO-892)  2. ★ Notice of Draftperson's Patent Drawing Review (PTO-94)  3. ★ Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date  4. ★ Examiner's Comment Regarding Requirement for Deposor of Biological Material	8) 6. ☐ Interview S Paper No. B/08), 7. ☒ Examiner's	formal Patent Application (Pummary (PTO-413), /Mail Date Amendment/Comment  Statement of Reasons for A Thanh X Luu	

Application/Control Number: 10/073,899 Page 2

Art Unit: 2878

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Replace the entire claim 31 with:

-- 31. A data collection method for scanning a scan window comprising:

detecting an integrated signal (S) across the scan window comprising one or more channels using an integrating detector;

determining an integration time (ti) for the integrated signal; and

calculating a velocity-normalized integrated signal (Sn), the calculating

comprising dividing the integrated signal (S) by the integration time (ti).--

Replace the entire claim 45 with:

-- 45. The apparatus of claim 16, furthering comprising means for determining an integration time (ti) for the integrated signal; and wherein the calculating the velocity-normalized integrated signal comprises dividing the integrated signal (S) by the integration time (ti).--

Application/Control Number: 10/073,899

Art Unit: 2878

Replace the entire claim 52 with:

--52. The apparatus of claim 17, further comprising a timer configured to determine an integration time (ti) for the integrated signal; and wherein the calculating the velocity-normalized integrated signal comprises dividing the integrated signal (S) by the integration time (ti), and the scan window comprises more than one channel.--

## Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thanh X. Luu whose telephone number is 571-272-2441. The examiner can normally be reached on M-F 6:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Porta can be reached on 571-272-2444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thanh X Luu Primary Examiner Page 3

Art Unit 2878